

IN THE CLAIMS:

Please amend the claims as follows:

--4.(Amended) A method for changing over to a different frequency in accordance with claim 1, further comprising the step of:

controlling said mobile communication terminal not to measure said second reception quality by said base station controlling apparatus in case that said traffic is less than a specific value.

11.(Amended) A method for changing over to a different frequency in accordance with claim 1, wherein:

said first base station transmits a first broadcast channel and said second base station transmits a second broadcast channel, and

said first reception quality is reception quality in said first broadcast channel and said second reception quality is reception quality in said second broadcast channel.

12.(Amended) A method for changing over to a different frequency in accordance with claim 1, further comprising the steps of:

making a data vacant time in which data are not transmitted by compressing transmitting data in the time by said first base station; and

measuring said second reception quality in said data vacant time by said mobile communication terminal.

16.(Amended) A cellular phone system in accordance with claim 13, wherein:

said base station controlling apparatus, further comprising:

a first controlling means for controlling said mobile communication terminal not to measure said second reception quality in case that said traffic is less than a specific value.

23.(Amended) A cellular phone system in accordance with claim 13, wherein:

said first base station transmits a first broadcast channel and said second base station transmits a second broadcast channel, and

said first reception quality is reception quality in said first broadcast channel and said second reception quality is reception quality in said second broadcast channel.

24.(Amended) A cellular phone system in accordance with claim 13, wherein:

said first base station, comprising:

a data vacant time making means for making a data vacant time in which data are not transmitted by compressing transmitting data in the time; and

said mobile communication terminal, comprising:

a measuring means for measuring said second reception quality in said data vacant time.

28.(Amended) A base station controlling apparatus in accordance with claim 25, further comprising:

a first controlling means for controlling said mobile communication terminal not to measure said second reception quality in case that said traffic is less than a specific value.

35.(Amended) A base station controlling apparatus in accordance with claim 25, wherein:

said first base station transmits a first broadcast channel and said second base station transmits a second broadcast channel, and

said first reception quality is reception quality in said first broadcast channel and said second reception quality is reception quality in said second broadcast channel.--